

Environmental & Occupational Health Support Services Human Resources Services McMaster University Gilmour Hall, Room 304 1280 Main Street West Hamilton, Ontario L8S 4L8 Tel: (905) 525-9140 ext.24352 Fax: (905) 540-9085 Visit us: www.workingatmcmaster.ca/eohss

WHMIS Update On-Line Training record

Circle the Correct Answer

1. In what section of an MSDS could I find how the WHMIS controlled product enters the body?

- a) Preventive Measures
- b) Fire and explosion hazard
- c) Hazardous Ingredients
- d) Toxicological Properties

2. Would you identify this WHMIS symbol as:

- a) compressed gas
- b) oxidizing material
- c) flammable and combustible material
- d) dangerously reactive material



3. On a workplace label the safe handling procedures provide information on reducing your potential risk of harm from working with this hazardous material

True or False?

4. WHMIS supplier labels must include a product identifier, supplier identifier, MSDS reference, hazard symbols, risk phrases, precautionary measures and first aid measures in both English and French.

True or False?

5. The Material Safety Data Sheet (MSDS) for the corresponding WHMIS controlled product needs to be read and **understood before using the product.** True or False?

Date:	PLEASE PRINT CLEARLY	Supervisor Name:
Employee Name:	Department	Supervisor Signature:
Employee Signature:		Supervisor Email
Employee Email Address	Employee Phone Extension	Supervisor Phone Extension

This test record must be completed by the individual participating in the training. This test record is the documented record of your participation in this training. The intent of this record is to prove one's review of specific training materials. By signing these documents, you agree that you have reviewed the appropriate materials in detail and understand them. Please forward the original or a copy of this test record to the EOHSS office. Please retain a copy for your records. **If you are from the Faculty of Health Science, please send your forms to the FHS Safety Office in HSC 1J11 or fax to 905-528-8539**